

RHENIUM – HNO₃

Date of issue: 2024/08/31
Revision No.: 2.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product Identifier

Product form	Liquid
Chemical Name	RHENIUM – HNO ₃
Index No.	Mixture
EC No.	Mixture
CAS No.	Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1	Relevant identified uses	Laboratory Chemical
1.2.2	Uses advised against	No additional information available.

1.3 Details of the supplier of the safety data sheet

De Bruyn Spectroscopic Solutions
70/145 Chattan Road
Glenferness, Midrand, 2191
Gauteng,
South Africa

1.4 Emergency telephone number:

RSA: 086 100 0366
Namibia: 080 010 0366
Other: Local Emergency Services.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification Regulation (EC) No 1272/2008 (CLP):

Met cor. 1 H290
Skin Corr. 1B, H314
Eye Dam 1, H318

Full text of hazard classes and H statements: see Section 16.

Adverse physicochemical, human health and environmental effects:

May be corrosive to metals. Causes severe skin burns and eye damage.

Supplementary Information:

EUH071 Corrosive to the respiratory tract.

2.2 Label Elements

Labelling (Regulation (EC) No 1272/2008

Hazard Pictograms:



Signal word: DANGER

Hazardous ingredients: Nitric Acid

Hazard Statements:

H290 – May be corrosive to metals.

H314 – Causes severe skin burns and eye damage.

Precautionary Statements:

P261 - Do not breathe mist, vapour, fume, or spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

RHENIUM – HNO₃

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing.

P310 -Immediately call a POISON CENTER/doctor.

Reduced Labelling (< = 125 ml)



Signal Word: Danger

Hazard Statements:

Causes severe skin burns and eye damage.

Do not breathe mist.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor

(EU) EUH071 Corrosive to the respiratory tract.

2.3 Other hazards

Other hazards not contributing to the classification:

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

Not applicable.

3.2 Mixture

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitric acid	(CAS-No.) 7697-37-2 (EC-No.) 231-714-2 (EC Index-No.) 007-004-00-1	5	Ox. Liq. 3, H272; Met corr. 1 290; Skin Corr. 1A, H314; Eye dam 1 318; Ac tox 3 H331; EU071
Rhenium	(CAS No.) 7440-15-5 (EC No.) 231-124-5	0.01 – 10 000 µg/mL as Re	Flam sol 1, H228

Specific concentration limits: Nitric Acid
(5 =< 20) Skin Corr. 1B, H314 ;(C >= 20)
Skin Corr. 1A, H314 (65 =< 99) Ox. Liq. 3,
H272 (C >= 99) Ox. Liq. 2, H272

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

First aid measures general

Take off immediately all contaminated clothing. First aiders need to protect themselves.

First aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. If symptoms persist obtain medical attention.

First aid measures after skin contact

Rinse skin with water/shower. Call a doctor/physician immediately.

First aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor/physician immediately.

First aid measures after ingestion

Rinse mouth. Do not induce vomiting. Call a doctor/physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact

Causes burns.

Symptoms/effects after eye contact

Causes serious damage to eyes. Risk of blindness.

Symptoms/effects after ingestion/inhalation

Cough, shortness of breath, difficulty breathing, gastric perforation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

- 5.1 Extinguishing media**
 Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.
 Unsuitable Do not use water jet.
- 5.2 Special hazards arising from the substance or mixture**
 Fire hazard Product not combustible.
 Hazardous decomposition products in case of fire Toxic fumes may be released. Nitrogen oxides (NO_x).
- 5.3 Advice for firefighters**
 Protection during firefighting In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.
- 5.4 Further Information**
 No further information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment, and emergency procedures**
- 6.1.1 For non-emergency personnel**
 Emergency procedures Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.
- 6.1.2 For emergency responders**
 Protective equipment Do not attempt to act without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- 6.2 Environmental precautions**
 Avoid release to the environment.
- 6.3 Methods and materials for containment and cleaning up**
 Methods for cleaning up: Take up liquid spill into non-combustible absorbent material.
 Other Information Dispose of materials or solid residues at an authorized site
- 6.4 Reference to other sections**
 For further information refer to section 5, 8, 13

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling**
 Precautions for safe handling Wear recommended personal protective equipment. See section 8. Avoid contact with eyes and skin. Do not inhale vapour, or mist.
 Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Immediately change contaminated clothing. Wash hands before breaks and at the end of workday. Do not eat, drink, or smoke while working.
- 7.2 Conditions for safe storage, including any incompatibilities**
 Storage conditions Store in a well-ventilated place. Keep container tightly closed. Keep only in original container. May cause decomposition by long-term light influence. Protect from UV radiation/sunlight, contact with air/oxygen. Recommended storage temperature: 20 ± 5°C.
 Incompatible materials Strong alkali, various metals, combustible materials.
 Packaging Original container.
- 7.3 Specific end users**
 No additional information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Exposure Limits**

Nitric Acid (CAS: 7697-37-2)		
United Kingdom	WEL STEL (Gas and mist)	1 ppm / 2.6 mg/m ³
South Africa; HCA Regulations	TWA (8Hour)	4 ppm
	STEL (15min)	8 ppm

8.2	<u>Exposure controls</u> Appropriate engineering controls	Ensure adequate ventilation. Provide eyewash facility.
	Personal protective equipment Hand protection Eye protection Skin and body protection Respiratory protection	Protective gloves PVC, rubber Tightly fitting safety goggles/face mask Acid resistant protective clothing, In case of insufficient ventilation, wear suitable respiratory equipment.



Environmental exposure controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Product form	Liquid
Appearance	Colorless
Odour	Slight
Odour threshold	No data available
pH	<2 @ 20°C
Relative evaporation rate (butylacetate = 1)	No data available
Melting point/Freezing Point	No data available
Initial Boiling point	No data available
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Vapour density	No data available
Relative vapour density @20°C	No data available
Density	1.03 g/cm ³ @ 20°C
Solubility (water)	Miscible
Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	Not classified as explosive
Explosive limits	Not applicable
Oxidising properties	None

9.2 Additional information No additional data available.

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity**
The product is corrosive to metals.
- 10.2 Chemical stability**
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts violently with strong bases, organic materials, metals, hydrogen sulphide, carbides, alcohols, organic solvents, cyanides, sulphides.

10.4 Conditions to avoid

UV radiation/sunlight. Keep away from heat.

10.5 Incompatible materials

Strong bases, various metals, combustible materials.

10.6 Hazardous decomposition products

No hazardous decomposition if stored and handled correctly. Thermal decomposition releases corrosive gases/vapours (NO_x).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (Dermal)

Acute toxicity (Respiratory)

Test data not available for the mixture.

Product does not meet classification criteria.

Product does not meet classification criteria.

Product does not meet classification criteria.

Nitric acid ≥ 65 %

LC50 inhalation (vapour)

2.65 mg/l

Skin corrosion/irritation:

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT-SE

STOT RE

Aspiration hazard

Causes severe skin burns and eye damage.

Serious eye damage,

Not classified

Not classified

Not classified

Not classified

Not classified

Not classified

Not classified

11.2 Additional Information

Endocrine disrupting properties

This substance/mixture does not contain components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Ecology - general

Acute aquatic toxicity

Chronic aquatic toxicity

Before neutralisation, the product may present a danger to aquatic organisms.

Not classified.

Not classified.

12.2 Persistence and degradability

Not applicable for inorganic compounds.

12.3 Bioaccumulative potential

Not applicable for inorganic compounds.

12.4 Mobility

No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bio accumulative or toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment This substance/mixture does not contain components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

12.7 Other adverse effects

No additional information.

SECTION 13: DISPOSAL CONSIDERATIONS**Waste treatment methods: Product and packaging**

The generation of waste should be avoided or minimised wherever possible. This material and packaging must be disposed of in a safe way in consultation with licensed waste disposal company in accordance with local legal requirements.

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA

	ADR	IMDG	IATA	Class Diamond
UN Number	3264	3264	3264	
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Nitric Acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Nitric Acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Nitric Acid)	
Hazard Class	8	8	8	
Subsidiary hazard class	-	-	-	
Packing Group	III	III	III	
Marine pollutant	No	No	No	

Limited/Excepted quantity: 5L

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use:

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006. Regulation (EU) 2019/1148 on the marketing and use of explosives precursors: Nitric Acid

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : No restrictions.

National Regulations:

Occupational Health and Safety Act 85 of 1993.

Hazardous Chemical Agents Regulations.

SANS 10228, 10229, 10232-4.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Full text of hazard classes and statements:

Sk cor. Cat 1B, H314	Skin corrosion, Category 1B, Causes severe skin burns.
Eye Dam Cat 1, H318	Eye Damage Category 1, Causes serious eye damage
Met.Cor. Cat 1A, H290	Metal corrosion Category 1A, May cause metal corrosion.
Sk cor. Cat 1A, H314	Skin corrosion, Category 1A, Causes severe skin burns and eye damage.
Ox liq. Cat 3, H272	Oxidizing liquid, category 3, May intensify fire-oxidiser.
Ox liq. Cat 2, H272	Oxidizing liquid, category 2, May intensify fire-oxidiser.
Flam sol 1, H228	Flammable solid, Category 1, Flammable solid.
WEL STEL	Workplace Exposure Limit; Short term Exposure Limit
TWA	Time weighted average.

"DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. De Bruyn SPECTROSCOPIC Solutions MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the supplier's product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of the supplier's product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. The supplier provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, the supplier makes no representations as to its completeness or accuracy."

RHENIUM – HNO₃

Revision history	Changes	Date
Revision 1.0	Original document.	
Revision 2.0	Document updated to GHS Standard	31-08-2024